

DCS-5F40N

**Semi Auto Brick Shape Vacuum
Packing Machine
Introduction Manual**

Application scope



Coarse Grains



Nuts, Seeds



Pet feeds, Cat litter




Chemical Granulars

Packaging application scope: It is suitable for vacuum packaging of granular materials in fields such as grain, cat litter, and pet feeds, etc.

Equipment parameters

Model	DCS-5F40N
Packaging Range (kg)	Birck Shape: 0.3 ~ 5kg
Applicable Materials	Granular Materials
Packaging Speed (bags/h)	0.3–1.25 kg: 800 ~ 1,000 bags/h 1.25–5 kg: 400 ~ 500 bags/h
Scale Division & Accuracy Class	X(0.5), 2 g
Power Supply & Consumption	AC220V 50Hz, 2 kW
Air Supply & Consumption	0.6 MPa, 0.3 m ³ /min
Equipment Dimensions(LxWxH)	998 × 1528 × 2105 mm

Equipment sample drawing



Color diagram of the equipment (subject to the actual product)



Configuration list

Component Name	Brand & Origin
PLC Controller	Siemens (Germany)
HMI Touchscreen	MCGS(China)
Temperature Controller	Fuji (Japan)
Bag Clamping Switch	Omron (Japan)
Miniature Relay	Schneider (France)
Power Contactor	Schneider (France)
Solid-State Relay	Omron (Japan)
Pneumatic Cylinder	AirTAC (Taiwan)
Solenoid Valve	Mindman (Taiwan)
Vacuum Pump	Zhongde (Shanghai, China)